

Literatur zum Beitrag

Ilia Aroyo, Rainer Dziewas

Dysphagie auf der Intensivstation –
Diagnostik und Management

- Schefold C, Berger D, Zürcher P et al.: Dysphagia in mechanically ventilated ICU patients (DYnAMICS): a prospective observational trial. *Crit. Care Med*, 2017; 45(12): 2061–9
- Mirzakhani H, Williams JN, Mello J et al.: Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology* 2013; 119(2): 389–97. doi: 10.1097/ALN.0b013e31829373fe
- Zuercher P, Moret CS, Dziewas R, Schefold JC: Dysphagia in the intensive care unit: epidemiology, mechanisms, and clinical management. *Crit. Care* 2019; 23(103): 1–11. doi: 10.1186/s13054-019-2400-2
- Tolep K, Getch CL, Criner GJ: Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest* 1996; 109(1): 167–72
- Cohen DL, Roffe C, Beavan J et al.: Post-stroke dysphagia: a review and design considerations for future trials. *Int J Stroke* 2016; 11(4): 399–411
- Walcott BP, Kamel H, Castro B et al.: Tracheostomy after severe ischemic stroke: a population-based study. *J. Stroke Cerebrovasc Dis* 2014; 23(59): 1024–29
- Skoretz SA, Flowers HL, Martino R: The incidence of dysphagia following endotracheal intubation: a systematic review. *Chest* 2010; 137(3): 665–73. doi: 10.1378/chest.09-1823
- Kim MJ, Park YH, Park YS, Song YH: Associations between prolonged intubation and developing post-extubation dysphagia and aspiration pneumonia in non-neurologic critically ill patients. *Ann Rehabil Med* 2015; 39(5): 763–71
- Macht M, Wimbish T, Bodine C, Moss M: ICU-Acquired Swallowing Disorders. *Crit Care Med* 2013; 41(10): 2396–405. doi: 10.1097/CCM.0b013e31829caf33
- Marian T, Dünser M, Citerio G et al.: Are intensive care physicians aware of dysphagia? The MADICU survey results. *Intensive Care Med* 2018; 44(6): 973–5
- van Snippenburg W, Kröner A, Flim M et al.: Awareness and management of dysphagia in Dutch intensive care units: a nationwide survey. *Dysphagia* 2019; 34(2): 220–8
- Khedr EM K, Abo-Elfetoh N, Rothwell JC: Treatment of post-stroke dysphagia with repetitive transcranial magnetic stimulation Treatment of post-stroke dysphagia with repetitive transcranial magnetic stimulation. *Acta Neurol Scand* 2009; 119(3): 155–6. doi: 10.1111/j.1600-0404.2008.01093.x
- Kim L, Chun MH, Kim BR, Lee SJ: Effect of Repetitive Transcranial Magnetic Stimulation on Patients with Brain Injury and Dysphagia. *Ann Rehabil Med* 2011; 35(6): 765–71
- Martino R, Foley N, Bhogal S et al.: Dysphagia after stroke: incidence, diagnosis, and pulmonary complications. *Stroke* 2005; 36(12): 2756–63
- Schröder JB, Marian T, Muhle P et al.: Intubation, tracheostomy, and decannulation in patients with Guillain-Barré-syndrome – does dysphagia matter? *Muscle Nerve* 2019; 59(2): 194–200
- Hamdy S, Aziz Q, Rotzweill JC et al.: Recovery of swallowing after dysphagic stroke relates to functional reorganization in the intact motor cortex. *Gastroenterology* 1998; 115(5): 1104–12.
- Mann G, Hankey GJ, Cameron D: Swallowing disorders following acute stroke: prevalence and diagnostic accuracy. *Cerebrovasc Dis* 2000; 10(5): 380–6
- Smithard DG, Smeeton NC, Wolfe CDA: Long-term outcome after stroke: does dysphagia matter? *Age Ageing* 2007; 36(1): 90–4
- Bösel J: Use and timing of tracheostomy after severe stroke. *Stroke* 2017; 48(9): 2638–43
- Dziewas R, Stellato R, van der Tweel I et al.: Pharyngeal electrical stimulation for early decannulation in tracheotomised patients with neurogenic dysphagia after stroke (PHAST-TRAC): a prospective, single-blinded, randomised trial. *Lancet Neurol* 2018; 17(10): 849–59. doi: 10.1016/S1474-4422(18)30255-2
- Berger D, Bloechlinger S, von Haehling S et al.: Dysfunction of respiratory muscles in critically ill patients on the intensive care unit. *J Cachexia Sarcopenia Muscle* 2016; 7(4): 403–12
- Duncan S, McAuley DF, Walshe M et al.: Interventions for oropharyngeal dysphagia in acute and critical care: a systematic review and meta-analysis. *Intensive Care Med* 2020; 46(7): 1326–38. doi: 10.1007/s00134-020-06126-y
- Macht M, Wimbish T, Brendan J et al.: Postextubation dysphagia is persistent and associated with poor outcomes in survivors of critical illness. *Crit Care* 2011; 15(5): 1–9, 2011
- Ponfick M, Linden R, Nowak DA: Dysphagia—A Common, Transient Symptom in Critical Illness Polyneuropathy: A Fiberoptic Endoscopic Evaluation of Swallowing Study. *Crit Care Med* 2015; 34(2): 365–72. doi: 10.1097/CCM.0000000000000705
- Hamdy S, Rothwell JC, Aziz Q, Singh KD, Thompson DG: Long-term reorganization of human motor cortex driven by short-term sensory stimulation 1998; 1(1): 64–8
- Robbins J, Butler SG, Daniels SK et al.: Swallowing and dysphagia rehabilitation: translating principles of neural plasticity into clinically oriented evidence. *J Speech Lang Hear Res* 2008; 51: 276–300
- Muhle P, Suntrup-Krueger S, Dziewas R: Neurophysiological adaptation and neuromodulatory treatment approaches in patients suffering from post-stroke dysphagia. *Curr Phys Med Rehabil reports* 2018; 6(4): 227–38
- Brodsky MB, Levy MJ, Jedlanek E et al.: Laryngeal injury and upper airway symptoms after oral endotracheal intubation with mechanical ventilation during critical care: A systematic review. *Crit Care Med* 2018; 46(12): 2010–17. doi: 10.1097/CCM.00000000000003368
- Wallace S, McGrath BA: Laryngeal complications after tracheal intubation and tracheostomy. *BJA Educ* 2021; 21(7): 250–7. doi: 10.1016/j.bjae.2021.02.005
- Dziewas R, Lüdemann P: Hypoglossal nerve palsy as complication of oral intubation, bronchoscopy and

- use of the laryngeal mask airway. *Eur Neurol* 2002; 47(4), 239–43
31. Shinn JR, Kimura KS, Campbell BR et al.: Incidence and outcomes of acute laryngeal injury after prolonged mechanical ventilation. *Crit Care Med* 2019; 47(12), 1699–1706
 32. Brodsky MB, Pandian V, Needham DM: Post-extubation dysphagia: a problem needing multidisciplinary efforts. *Intensive Care Med* 2020; 46(1): 93–6
 33. Leder SB, Suiter DM, Lisitano Warner H: Answering orientation questions and following single-step verbal commands: effect on aspiration status. *Dysphagia* 2009; 24(3), 290–5
 34. Metheny NA: Preventing respiratory complications of tube feedings: evidence-based practice. *Am J Crit Care* 2006; 15(4), 360–9
 35. Metheny NA, Clouse RE, Chang YH et al.: Tracheobronchial aspiration of gastric contents in critically ill tube-fed patients: frequency, outcomes, and risk factors. *Crit Care Med* 2006; 34(4), 1007–15
 36. Zuercher P, Dziewas R, Schefold JC: Dysphagia in the intensive care unit: a (multidisciplinary) call to action. *Intensive Care Med* 2020; 46(3): 554–6. doi: 10.1007/s00134-020-05937-3
 37. Perren A, Zürcher P, Schefold JC: Clinical Approaches to Assess Post-extubation Dysphagia (PED) in the Critically Ill. *Dysphagia* 2019; 34(4): 475–86. doi: 10.1007/s00455-019-09977-w
 38. Perry L: Screening swallowing function of patients with acute stroke. Part one: identification, implementation and initial evaluation of a screening tool for use by nurses. *J Clin Nurs* 2001; 10(4):463–7
 39. Daniels SK, Pathak S, Rosenbek JC et al.: Rapid aspiration screening for suspected stroke: part 1: development and validation. *Arch Phys Med Rehabil* 2016; 97(9): 1440–8
 40. Hughes TAT, Wiles CM: Clinical measurement of swallowing in health and in neurogenic dysphagia. *QJM An Int J Med* 1996; 89(2): 109–16
 41. Martino R, Silver F, Teasell R et al.: The toronto bedside swallowing screening test (TOR-BSST) development and validation of a dysphagia screening tool for patients with stroke. *Stroke* 2009; 40(2): 555–61
 42. Leder SB, Suiter DM (2014) *The Yale Swallow Protocol. An Evidence-Based Approach to Decision Making.* Springer Int. Publ., Switzerland
 43. Trapl M, Enderle P, Nowotny M et al.: Dysphagia bedside screening for acute-stroke patients: the Gugging Swallowing Screen. *Stroke* 2007; 38(11): 2948–52
 44. Hales PA, Drinnan MJ, Wilson JA: The added value of fiberoptic endoscopic evaluation of swallowing in tracheostomy weaning. *Clin Otolaryngol* 2008; 33(4): 319–24
 45. Langmore SE, Kenneth S, Olsen N: Fiberoptic endoscopic examination of swallowing safety: a new procedure. *Dysphagia* 1988; 2(4): 216–9
 46. Aroyo I, Dziewas R: Fiberendoskopische Untersuchung des Schluckaktes (FEES) – Schritt für Schritt. *Intensivmed up2date* 2020; 16(1), 14–9
 47. Marian T, Dünser M, Citerio G et al.: Are intensive care physicians aware of dysphagia? The MAD ICU survey results. *Intensive Care Med* 2018; 44(6): 973–5. doi: 10.1007/s00134-018-5181-1
 48. Rosenbek JC, Robbins JA, Roecker EB et al: A penetration-aspiration scale. *Dysphagia* 1996; 11(2): 93–8
 49. Murray J, Langmore SE, Ginsberg S, Dostie A: The significance of accumulated oropharyngeal secretions and swallowing frequency in predicting aspiration. *Dysphagia* 1996; 11(2): 99–103
 50. Wang S, Zhang L, Huang K et al.: Predictors of extubation failure in neurocritical patients identified by a systematic review and meta-analysis. *PLoS One* 2014; 9(12): e112198. doi: 10.1371/journal.pone.0112198
 51. Suntrup-Krueger S, Schmidt S, Warncke T et al.: Extubation readiness in critically ill stroke patients: a prospective observational trial on when and how to assess. *Stroke* 2019; 50(8): 1981–8
 52. Schönenberger S, Al-Suwaidan F, Kieser M et al.: The SETScore to predict tracheostomy need in cerebrovascular neurocritical care patients. *Neurocrit Care* 2016; 25(1): 94–104
 53. Warncke T, Suntrup S, Teismann IK et al.: Standardized endoscopic swallowing evaluation for tracheostomy decannulation in critically ill neurologic patients. *Crit Care Med* 2013; 41(7): 1728–32
 54. Peruzzi WT, Logemann JA, Currie D, Moen SG.: Assessment of aspiration in patients with tracheostomies: comparison of the bedside colored dye assessment with videofluoroscopic examination. *Respir Care* 2001; 46(3): 243–7
 55. Béchet S, Hill F, Gilheaney O, Walshe M: Diagnostic accuracy of the modified Evan’s blue dye test in detecting aspiration in patients with tracheostomy: a systematic review of the evidence. *Dysphagia* 2016; 31(6): 721–29
 56. Muhle P, Suntrup-Krueger S, Burckard K et al.: Standardized Endoscopic Swallowing Evaluation for Tracheostomy Decannulation in Critically Ill Neurologic Patients - a prospective evaluation. *Neurol Res Pract* 2021; 3(1); 1–10
 57. Dziewas R, Pflug C, and others: Neurogene Dysphagie, S1-Leitlinie. Dtsch. Gesellschaft für Neurol. Leitlinien für Diagnostik und Ther. der Neurol. <https://www.dgn.org/leitlinien>. Zugegriffen, vol. 19, 2020
 58. Suntrup S, Marian T, Schröder JB et al.: Electrical pharyngeal stimulation for dysphagia treatment in tracheotomized stroke patients: a randomized controlled trial. *Intensive Care Med* 2015; 41(9): 1629–37
 59. Koestenberger M, Neuwersch S, Hefner E et al.: A Pilot Study of Pharyngeal Electrical Stimulation for Orally Intubated ICU Patients with Dysphagia. *Neurocrit Care* 2020; 32(2): 532–8
 60. Bath PM, Woodhouse LJ, Suntrup-Krueger S et al.: Pharyngeal electrical stimulation for neurogenic dysphagia following stroke, traumatic brain injury or other causes: Main results from the PHADER cohort study. *eClinicalMedicine* 2020; 28: 100608. doi: 10.1016/j.eclinm.2020.100608
 61. Schefold JC, Bäcklund M, Ala-Kokko T et al.: The PHiNEST study--Pharyngeal ICU Novel Electrical Stimulation Therapy: Study protocol of a prospective, multi-site, randomized, sham-controlled, single-blind (outcome assessor-blinded) study. *Medicine (Baltimore)* 2020; 99(11): e19503.